


Material Safety Data Sheet



1. Chemical Product & Company Data

Product Name: OdorX Last Resort™	Revision Date: February 13, 2012
Manufacturer:	Supplier:
ProRestore Products 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340	Bennett Direct Pty Ltd ABN: 93 413 737 810 Address: 23-27 Shepherd St, MARRICKVILLE, NSW, 2204 Tel: 1300 310 410 Fax: +61 2 9572 6565

Emergency Telephone number:

POISONS INFORMATION CENTRE AUSTRALIA Tel: 131 126 NEW ZEALAND Tel: 0800 764 766

2. Hazards Identification

Emergency Overview

Hazardous according to criteria of the National Occupational Health and Safety Commission (NOHSC). Classified by the criteria of the Australia Dangerous Goods Code (ADG Code) by transport by road or rail as a flammable liquid class 3. Flammable Liquid. Skin and eye irritant.

NOTE: Hazard information is based on the characteristics of the components of this mixture.

Ingestion - May cause abdominal discomfort, nausea, vomiting and diarrhea. Drowsiness or unconsciousness may occur.

Inhalation - Low concentration of the vapor may cause irritation of the respiratory tract with possible chest pain and coughing. High concentrations may cause headache and drowsiness.

Eye Contact - Causes severe eye irritation and possible corneal injury.

Skin Contact - Prolonged contact may cause discomfort, redness, drying and defatting of the skin.

3. Ingredients

Name	CAS#	UN#	% by volume
2-propanol	67-63-0	1219	30-60
Fragrance - Aromatics (aldehydes, esters & ketones) and alcohols	n. av.		30-60

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Induce vomiting. Seek medical attention immediately.

Inhalation - Remove to fresh air. Administer artificial respiration if not breathing.

Eye Contact - Flush eyes with water for 15 minutes. Seek immediate medical attention.

Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.

Last Resort

5. Fire Fighting Measures

Flammability Yes X No	l * '	·		
Flashpoint: 70 °F (21.1 °C)	Upper flammable limit % by volume 12.0 @ 77 °F (25 °C)	Lower flammable limit % by volume 2.0 @ 77 °F (25 °C)		
Autoignition temperature n. av.	Hazardous combustion products Carbon monoxide and/or carbon dioxide	Explosion data n. ap.		
Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel.				

6. Accidental Release Measures

Eliminate all sources of ignition.

Wear personal protective equipment.

Do not allow spill to reach watercourse or sewers.

Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.

Collect and store waste materials in suitable containers for disposal i.e. metal drums.

7. Handling & Storage

Use non sparking tools and explosion proof mechanical equipment when working with this liquid i.e. pumps and sprayers. Extinguish all sources of ignition in the work area. If the product is stored in metal containers the container must be grounded and bonded prior to dispensing the liquid. To prevent vapor escaping to the atmosphere keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid cabinet. Check local Health and Safety Authority for the volume limits in these situations. Eyewash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non essential personnel prior to application of product.

8. Exposure Controls & Personal Protection

Personal Protective Equipment				
Gloves Natural Rubber	Respirator NIOSH TC-23C organic vapor respira- tor or equivalent		Eye Goggles or full face respirator	
Footwear n. ap.	Clothing Coveralls or equiv	ralent	Other n. ap.	
	Exposur	re Guidelines		
none established for product	ļ			
	OSH	ΗA	ACGIH	
	TWA	STEL T	NA STEL	
2-propanol	400 ppm	500 ppm 400	ppm 500 ppm	
Limit values in other countries:				
2-propanol	UK	OES (8 hr TW.	A) 999 mg/m³	
2-propanol	Australia	(8 hr TWA)	500 mg/m ³	

Last Resort

9. Physical and Chemical Properties

Physical state Liquid	Odor and appearance Light yellow color, strong floral aroma		
Odor threshold (ppm) n. av.	Vapor pressure (mm Hg) 62	Vapor density (Air=1) n. av.	
Evaporation (butyl acetate = 1) 45	Boiling point 179.6 °F (82 °C)	Freezing point n. av.	
pH 6.0	Specific gravity 0.89	Coefficientwater/oil distribution n. av.	
Solubility in water n. av.	Viscosity n. av.	% Volatiles (by weight) 100%	

10. Stability and Reactivity

Chemical Stability Yes X No		If no, under which conditions?		
Incompatibility with other Yes X No	er substances	If yes, under which conditions?	Avoid contact with strong oxidizing agents, inorganic acids.	
Reactivity, and under Stable under normal conditions. what conditions?				
Hazardous decom- position products?	Carbon monoxide	e and/or carbon dioxide	as combustion by-products.	

11. Toxicological Information

Route of Entry Skin Contact X Ski	n Absorption Ey	re Contact X	Inhalation X	Ingestion X	
No toxicity studies have been conducted for the product.					
Carcinogenicity	Mutagenicity	Teratogenicity		Reproductive toxicity	
No	No	No		No	
Synergistic products	Sensitization	Neurotoxicity		Target organs	
No	No	No		Eyes and Skin	

12. Ecological Information

12. Leological illiorniation		
n. av.		

Last Resort

13. Disposal Considerations

Dispose of in compliance with all Federal, state and local laws and regulations.

14. Transport Information

Only Quarts ship as ORM-D Consumer Commodity in the United States

Shipping Name: FLAMMABLE LIQUIDS, N.O.S. (ISOPROPANOL)

Hazard Class: 3 (Packing Group II)

UN Identification #: 1219

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a **flammable liquid and as a skin and eye irritant** - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification B2 D2B

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

16. Other Information

This product is a commercial deodorizing chemical.

Abbreviations:

LD = Lethal Dose

n. av. = not available mm Hg = millimeters of Mercury COC = Cleveland Open Cup

n. ap. = not applicable
PMCC = Pensky Martens Closed Cup
TWA = Time Weighted Average
LC = Lethal Concentration

ppm = parts per million TCC = Tagliabue Closed Cup STEL = Short Term Exposure Limit

CS = centistokes