

Material Safety Data Sheet

HMIS NFPA Health Hazard 1 Fire Hazard 2 Reactivity 0 Personal Protection c

1. Chemical Product & Company Data

Product Name: OdorX Thermo 55™ (series)	*see Section 2*	Revision Date: February 28, 2012
Manufacturer:	Supplier:	
ProRestore Products 4660 Elizabeth Street Coraopolis, PA 15108 Telephone: 1-412-264-8340	MARRICKVII	5

Emergency Telephone number: POISONS INFORMATION CENTRE AUSTRALIA Tel: 131 126 NEW ZEALAND Tel: 0800 764 766

2. Hazards Identifcation

Emergency Overview

Hazardous according to the criteria of the National Occupational Health and Safety Commision (NOHSC). Classified by the criteria of the Australian Dangerous Goods Code (ADG Code) by transport by road or rail as a flammable liquid class 9. Combustible Liquid. May cause severe eye irritation.

NOTE: Hazard information is based on the characteristics of the components of this mixture.

Ingestion - May cause abdominal discomfort, nausea, vomiting and diarrhea.

Inhalation - High concentration of the vapor may cause irritation of the respiratory tract.

Eye Contact - Causes slight eye irritation.

Skin Contact - Prolonged contact may cause discomfort, redness, drying and defatting of the skin.

3. Ingredients

Name	CAS #	UN #	% by volume
Blended synthetic isoparaffinic hydrocarbon	64742-47-8	3082	60-100
Fragrance - Aromatics (aldehydes,esters & ketones) and alcohols	n. av.		5-10
This MSDS pertains to the following "Thermo 55" fragrances			
Cherry, Citrus, Kentucky Bluegrass			
Neutral, Tabac-Attack			

4. First Aid

Ingestion - If patient is conscious give two glasses of water. Do not induce vomiting. Seek medical attention immediately.

Inhalation - Remove to fresh air. Administer artificial respiration if not breathing.

Eye Contact - Flush eyes with water for 15 minutes. Seek immediate medical attention.

Skin Contact - Remove contaminated clothing. Wash skin with soap and water. Obtain medical attention if irritation persists.

5. Fire Fighting Measures

Flammability Yes X No		ustible liquid. Potential fire hazard when exposed to sive heat, flame or other souces of ignition.	
Flashpoint: Citrus - 179 °F (81.5 °C) Cherry - 154 °F (67.7 °C)	Explosion data n. ap.	Hazardous combustion products Carbon monoxide and/or carbon dioxide	
KBG - 183 °F (84 °C) Neutral - 190 °F (87.8 °C)	Upper flammable limit % by volume 5.0	Lower flammable limit % by volume 0.7	
Tabac-Attack - 174 °F (79 °C)	Autoignition temperature 638.6 °F (337 °C)		
Means of extinction: Apply alcohol type or all purpose foam for large fires. Use dry chemical media or carbon dioxide extinguishers for small fires. SCBA and bunker gear for fire department personnel.			

6. Accidental Release Measures

Eliminate all sources of ignition.

Wear personal protective equipment.

Do not allow spill to reach watercourse or sewers.

Contain spill with absorbent mats or booms or inert materials such as sand. Material should be readily available in the workplace.

Collect and store waste materials in suitable containers for disposal i.e. metal drums.

7. Handling & Storage

Extinguish all sources of ignition in the work area. If the product is stored in metal containers the container must be grounded and bonded prior to dispensing the liquid. To prevent vapor escaping to the atmosphere keep all containers closed or covered. The product should be stored in a separate room equipped for flammable liquid storage or small volumes may be stored in a flammable liquid cabinet. Eyewash stations are required in the workplace. If eye irritation is encountered the use of a full facepiece respirator is recommended. Mechanical ventilation is recommended in enclosed workspaces. Area should be evacuated of all non essential personnel prior to application of product.

8. Exposure Controls & Personal Protection

Respirator	Eye
NIOSH TC-23C organic vapor respira- tor or equivalent	Goggles or full face respirator
Clothing	Other
Coveralls or equivalent	n. ap.
Exposure Guidelines	
	tor or equivalent Clothing Coveralls or equivalent

Thermo 55

9. Physical and Chemical Properties

Physical state	Odor and appearance		
Liquid	Clear liquid, colorless to light yellow color, various odors (see Sec. 2)		
Odor threshold (ppm)	Vapor pressure (mm Hg)	Vapor density (Air=1)	
n. av.	< 1 mm	4.5	
Evaporation	Boiling point	Freezing point	
(butyl acetate = 1) n. av.	431.6 °F - 483.3 °F (222 °C - 251 °C)	n. av.	
pH	Specific gravity	Coefficient water/oil distribution	
n. ap.	0.79	n. av.	
Solubility in water	Viscosity	% Volatiles (by weight)	
0%	@ 77 °F (25 °C) 3 cs	n. av.	

10. Stability and Reactivity

Chemical Stability Yes X No	If no, under which conditions?		
Incompatibility with other substances Yes X No	If yes, under Avoid contact with strong oxidizers. which conditions?		
Reactivity, and under Stable under normal conditions. what conditions?			
Hazardous decom- position products?			

11. Toxicological Information

0				
Route of Entry Skin Contact X Sk	in Absorption Eye C	ontact X Inhalation	X Ingestion X	
No toxicity studies have been conducted for the product.				
Carcinogenicity No	Mutagenicity No	Teratogenicity No	Reproductive toxicity No	
Synergistic products No	Sensitization No	Neurotoxicity No	Target organs Eyes and Skin	

12. Ecological Information

n. av.

Thermo 55

13. Disposal Considerations

Dispose of in compliance with all Federal, state and local laws and regulations.

14. Transport Information

Shipping Name:Environmentally hazardous substance, liquid N.O.S. (Contains blended synthetic isoparaffinic
hydrocarbon)Hazard Class:9 (Packing Group III)UN Identification #:3082

15. Regulatory Information

This material safety data sheet has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and the Hazardous Products Act (Can.) and the Controlled Products Regulations (Can.) This product has been classified in accordance with the hazard criteria of the CPR (Can.) and the MSDS contains all the information required by the CPR (Can.).

This product is classed as a combustible liquid - 29 CFR 1910.1200 and Controlled Products Regulations (Can.)

WHMIS classification **B3**

This product is not subject to the reporting requirement of Section 313 of Title III of Superfund Amendments and Reauthorization Act (SARA) 1986 and 40 CFR part 372.

R phrases: R22, R36/37/38 **S phrases:** S23, S24/25, S26, S28, S39, S51, S62

16. Other Information

Abbreviations:

n. av. = not available mm Hg = millimeters of Mercury COC = Cleveland Open Cup LD = Lethal Dose n. ap. = not applicable PMCC = Pensky Martens Closed Cup TWA = Time Weighted Average LC = Lethal Concentration

ppm = parts per million TCC = Tagliabue Closed Cup STEL = Short Term Exposure Limit CS = centistokes

This information is furnished without warranty, expressed or implied except that it is accurate to the best knowledge of ProRestore Products. The data and information on this sheet relates only to the specific material designated herein. ProRestore Products assumes no legal responsibility for use or reliance upon this data.