

Safety Data Sheet

Per GHS Standard Format

SDS Date: August, 2016

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: Recon Extreme Duty Cleaner No. 3024
General Use: Cleaner/degreaser for heavy industrial soils.
Product Description: High Performance Degreaser
Chemical Family: Solvent/alkali/detergent blend

Information on the Supplier of the Safety Data Sheet

Manufactured For:
Fiberlock Technologies, Inc.
150 Dascomb Road
Andover, MA 01810
P: 800-342-3755 F: 978-475-6205

Emergency Telephone Numbers:
CHEM TEL: (U.S.): 1-800-255-3924
(Outside the U.S.): 813-248-0585
Poison Control Center (Medical): 800-222-1222

IN AUSTRALIA:

Bennett Direct Pty Ltd ABN: 53 606 345 548 23-27 Shepherd St. MARRICKVILLE NSW 2204
Telephone: 1300 310 410 E: info@bennettdirect.com.au W: bennettdirect.com.au

Emergency telephone number

POISONS INFORMATION CENTRE AUSTRALIA - Ph: 131 126 NEW ZEALAND - Ph: 0800 764 766

SECTION 2: HAZARDS IDENTIFICATION

Signal Word: **DANGER**



GHS Label Statements

Hazard Statements:

Causes serious eye damage.
Causes skin irritation.
Harmful if swallowed.
May be corrosive to metals.

GHS Classifications

Health:

Skin Irritation, Category 2A
Eye Corrosion, Category 1
Acute Toxicity (Oral), Category 4

Physical:

Corrosive to Metals, Category 1

PRECAUTIONARY STATEMENTS

Prevention: Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Keep only in original packaging.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN: Wash with plenty of water and soap. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Storage: Store locked up.

Disposal: Dispose of contents/container in accordance with all local, state, and federal regulations.

EMERGENCY OVERVIEW

Physical appearance: Purple liquid

Immediate concerns: Causes irreversible eye damage and skin burns.

POTENTIAL HEALTH EFFECTS

Eyes: Corrosive, contact causes severe eye burns.

Skin: Contact causes severe skin irritation and possible burns.

Ingestion: Harmful if swallowed.

REPRODUCTIVE TOXICITY

Teratogenic effects: None known.

Carcinogenicity: Not established.

Mutagenicity: None known.

Routes of entry: Eye, skin, ingestion.

Warning caution labels: Corrosive

Physical hazards: None expected.

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>CAS No.</u>	<u>Weight, %</u>
Sodium Silicate	6834-92-0	0-5
Potassium Hydroxide	1310-58-3	0-5
Nonylphenol Ethoxylate	9016-45-9	5-10
Polyethylene glycol (octylphenyl) ether Phosphate	52623-95-7	0-5
Monoethanolamine	141-43-5	0-5
Dipropylene glycol monomethyl ether	34590-94-8	10-15
Ethylene glycol butyl ether	111-76-2	0-5
Dye	N/A	<0.1
Water	7732-18-5	70-80

SECTION 4: FIRST AID MEASURES

Eyes

Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

Skin

Remove contaminated clothing. Immediately flush with water followed by washing with mild soap. Seek medical attention.

Inhalation

Remove victim to fresh air and monitor. Seek medical advice if irritation persists.

Ingestion

Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

Signs and Symptoms of Overexposure

Eyes: Severe burning sensation, damage marked by burns.

Skin: Burning sensation, redness.

Ingestion: Irritation of mouth, throat, along with stomach upset, vomiting.

Inhalation: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

Acute toxicity: Corrosive to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

Notes to physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: FIRE-FIGHTING MEASURES

Flammable class: None

Extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Explosion hazards: Fire exposed containers may burst due to increased pressure from heat.

Fire-fighting procedures: Keep fire exposed containers cool with water stream or mist.

Fire-fighting equipment: Not Established

Hazardous decomposition products: Not Established

SECTION 6: ACCIDENTAL RELEASE MEASURES

Small spill: Avoid runoff into storm sewers and ditches which lead to waterways.

Large spill: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

Environmental Precautions

Water spill: Avoid discharges into open waterways.

Land spill: Avoid discharge to soil.

Air spill: NA = Not Applicable

General procedures: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other noncombustible material and transfer to containers.

Special protective equipment: Eye protection, rubber gloves, rubber boots to protect feet.

SECTION 7: HANDLING AND STORAGE

General Procedures

Close container after use.

Handling

Avoid contact with skin and eyes. Wash hands before eating, drinking, smoking or using toilet facilities.

Storage

Store in closed container in an area inaccessible to children.

Storage Temperature

Store at ambient temperatures.

Storage Pressure

Store at ambient atmospheric pressure.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Potassium Hydroxide	TWA		2 mg/m ³				
	STEL				2 mg/m ³		
Monoethanolamine	TWA	3	6	3	7.5	NL	NL
	STEL			6	15	NL	NL
Dipropylene glycol monomethyl ether	TWA	100	600	100	606		
	STEL			150	909		
Ethylene glycol butyl ether	TWA	50	240	20	97	NL	NL
	STEL					NL	NL

Engineering Controls: No special requirements.

Personal Protective Equipment

Eyes and face: Chemical splash goggles and full face-shield.

Skin: Rubber or other chemical resistant gloves.

Respiratory: A respirator is not needed under normal and intended conditions of product use.

Protective clothing: Chemical resistant outerwear (tyvek) if contact with spray or mist is anticipated.

Work hygienic practices: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Odor: Characteristic
Color: Purple

<u>Property</u>	<u>Values</u>
pH	13.0-14.0
Freezing point	32°F; 0°C

Boiling point/boiling range	~212°F; 100°C
Flash Point	None
Evaporation rate (Water=1)	1.0
Flammable Limits	N/A
Vapor pressure	~ 20 mm Hg at (68°F)
Vapor density	~ 1 Air = 1
Specific Gravity	~1.035 grams/ml.
Water Solubility	Complete
Autoignition temperature	NA = Not Applicable
Thermal decomposition	Not Available
Percent volatile	>80
Density	8.64 at 20°C (68°F)
Viscosity	Slightly viscous.
VOC	18.850% by weight

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Stable

Hazardous Polymerization

Will not occur.

Conditions to Avoid

None known

Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Incompatible Materials

Strong acids, oxidizers.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Sodium Silicate	1500 to 3200 mg/kg (rat)		
Potassium Hydroxide	273 mg/kg (rat)	N/A	
Nonylphenol Ethoxylate	16000 mg/kg (rat)	4490 mg/kg (rabbit)	
Monoethanolamine	1089 mg/kg (rat)	2504 mg/kg (rabbit)	~ 1.48 mg/l
Dipropylene glycol monomethyl ether	> 5000 mg/kg (rat)	9510 mg/kg (rabbit)	
Ethylene glycol butyl ether	1300 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 3.1 mg/l

Eyes: Not established
Dermal LD₅₀: Not established
Skin absorption: None expected
Oral LD₅₀: Not established
Inhalation LC₅₀: Not established

Eye effects: Corrosive to eyes. Permanent damage may occur.

Skin effects: Corrosive to skin.

Carcinogenicity

Chemical Name	NTP Status	IARC Status	OSHA Status
Ethylene glycol butyl ether	No listed substance	Group 3 – Not classifiable as to its carcinogenicity to Humans	No listed substance

IARC: The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of d-Limonene in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

Irritation: Irritant

Corrosivity: Corrosive

Genetic effects: No known significant effects or critical hazards.

Reproductive effects: No known significant effects or critical hazards.

Target organs: No known significant effects or critical hazards.

Mutagenicity: No known significant effects or critical hazards.

SECTION 12: ECOLOGICAL INFORMATION

Environmental data: Not Established.

Ecotoxicological information: This material may be toxic to aquatic life.

Aquatic toxicity (acute): Not Established.

Chemical fate information: This product is biodegradable.

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal method: Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for intended purpose. If discarded, this material and its containers should be treated as hazardous waste based on the characteristics of corrosivity as defined under federal RCRA regulations (40 CFR 261). Consult local authorities for disposal into public sewer.

For large spills: Consult with local and state authorities for large volume disposal.

Product disposal: Any method in accordance with local, state, and federal laws. Best method is to recycle or reuse for intended purpose.

Empty container: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

SECTION 14: TRANSPORT INFORMATION

DOT

Proper Shipping Name	Compound, Cleaning Liquid
Technical Name	Potassium Hydroxide Solution
Primary Hazard Class/Division	8
UN/NA Number	1760

Packing Group III
 Placards Corrosive
 Label Certain package sizes determine the proper labeling of containers. Consult manufacturer for specific information regarding proper labeling.
 Other Shipping Information Certain shipping modes and packaging sizes may have exceptions from the transport regulations. The classifications/information provided above may not reflect applicable exceptions. Contact the manufacturer for more specific information on the proper shipping of this material.
 U.S. Customs Harmonization # 3402.90.10.00

IATA/ICAO

Shipping Name Contact manufacturer for more information.

IMDG/IMO

Shipping Name Contact manufacturer for more information.

SECTION 15: REGULATORY INFORMATION

United States

DOT Label Symbol and Hazard Classification



Corrosive



Limited
Quantity
Ground

Sara Title III (Superfund Amendments and Reauthorization Act)

311/312 Hazard Categories: Health - Acute

Fire: No **Pressure Generating:** No **Reactivity:** No **Acute:** Yes **Chronic:** No

313 Reportable Ingredients: No listed substance

EPCRA Section 313 Supplier Notification

Chemical Name	Wt%	CAS
Ethylene glycol butyl ether	0-5	111-76-2

302/304 Emergency Planning

Emergency Plan: No listed substance

CERCLA (Comprehensive Response, Compensation, and Liability Act)

CERCLA Regulatory: Not established

Chemical Name	Wt%	CERCLA RQ
Potassium Hydroxide	0-5	1,000

TSCA (Toxic Substance Control Act)

TSCA Regulatory: All ingredients are listed on the TSCA Chemical Inventory.

California Proposition 65: No listed substance

Carcinogen: The International Agency for Research on Cancer (IARC) has concluded that there is inadequate evidence for carcinogenicity of 2-butoxyethanol in humans, but limited evidence in experimental animals (Group 3 - not classifiable as to its carcinogenicity to humans).

States with Special Requirements

Chemical Name	Requirements
Sodium Silicate	Pennsylvania Right to Know Substance New Jersey Right To Know Substance
Potassium Hydroxide	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance Rhode Island Right to Know Substance
Nonylphenol Ethoxylate	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance
Monoethanolamine	Massachusetts Right to Know Substance New Jersey Right To Know Substance New York Right to Know Substance Pennsylvania Right to Know Substance
Dipropylene glycol monomethyl ether	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance
Ethylene glycol butyl ether	Massachusetts Right to Know Substance Pennsylvania Right to Know Substance New Jersey Right To Know Substance

SECTION 16: OTHER INFORMATION

NFPA Health Hazards 3 Flammability 0 Instability 0 Physical & Chemical Hazards -

HMIS Health Hazards 3 Flammability 0 Physical Hazard 0 Personal Protection D

WARNING! If you scrape, sand or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Hotline at 1-800-424-LEAD (5323) or log on to: www.epa.gov/lead

Manufacturer Disclaimer: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.