

Version 2

# 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name Fabri-Scent Cherry

Product code LG-F1150

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Deodorizer

Restrictions on use Professional Use Only

1.3 Details of the supplier of the safety data sheet

Supplier Bennett Direct Pty Ltd ABN: 93 413 737 810

Address: 23-27 Sheperd St, MARRICKVILLE NSW 2204

Tel: 1300 310 410 FAX: +61 2 9572 6565

IPOISONS INFORMATION CENTRE AUSTRALIA TEL: 131 126

1.4 Emergency telephone number NEW ZEALAND TEL: 0800 764 766

**Emergency telephone number** 

# 2. Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910.1200

Flammable liquids Category 3

2.2 Label elements

Signal Word

Warning

**Hazard Statements** 

Flammable liquid and vapor



**Precautionary Statements - Prevention** 

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower In case of fire: Use CO2, dry chemical, or foam for extinction

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### 2.3 Other Hazards Hazards not otherwise classified (HNOC)

Not Applicable

### 2.4 Other information

Not Applicable

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

# 3. Composition/Information on Ingredients

#### **Substance**

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Chemical Name	CAS-No	Weight %
ISOPROPYL ALCOHOL	67-63-0	1 - 5
BENZALDEHYDE	100-52-7	< 1
AMYL ACETATE	628-63-7	< 1

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First aid measures

#### 4.1 Description of first-aid measures

General advice Show this material safety data sheet to the doctor in attendance. When symptoms persist or

in all cases of doubt seek medical advice.

Eye contact Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for

at least 15 minutes. If eye irritation persists, consult a specialist.

**Skin contact** Wash off immediately with soap and plenty of water. Remove all contaminated clothes and

shoes. Use a mild soap if available. If skin irritation persists, call a physician.

**Inhalation** Move to fresh air. Consult a physician after significant exposure.

**Ingestion** Gently wipe or rinse the inside of the mouth with water. Never give anything by mouth to an

unconscious person. Do NOT induce vomiting. Get medical attention immediately. Give

small amounts of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms See Section 2.2, Label Elements and/or Section 11, Toxicological effects.

\_\_\_\_\_

LG-F1150 - Fabri-Scent Cherry Revision Date 26-May-2015

#### 4.3 Recommendations for immediate medical care and/or special treatment

Notes to physician Treat symptomatically.

# 5. Fire-Fighting Measures

#### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, fog, Carbon dioxide (CO<sub>2</sub>), foam or dry chemical.

Small Fires Dry chemical or CO<sub>2</sub>.

**Large Fires** Alcohol type or all purpose foam.

Unsuitable Extinguishing Media High volume water jet.

## 5.2 Specific hazards arising from the substance or mixture

### **Special Hazard**

Hazardous decomposition products formed under fire conditions

Hazardous Combustion Products No information available.

### **Explosion Data**

Sensitivity to Mechanical Impact None.

**Sensitivity to Static Discharge** May be ignited by friction, heat, sparks or flames.

## 5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and clothing.

### 6.2 Environmental precautions

Prevent product from entering drains. Do not allow material to contaminate ground water system. See Section 12 for additional Ecological information.

### 6.3 Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. Handling and storage

## 7.1 Precautions for safe handling

Advice on safe handling Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Use only in

area provided with appropriate exhaust ventilation. Maintain eye wash fountain and

quick-drench facilities in work area.

Hygiene measures When using, do not eat, drink or smoke. Wash hands before breaks and at the end of

workday. Remove and wash contaminated clothing before re-use.

## 7.2 Conditions for safe storage, including any incompatibilities

26-May-2015 - LG-F1150 - 2 - AGHS - English -

Storage Conditions Keep locked up or in an area accessible only to qualified or authorized persons. Keep

tightly closed in a dry, cool and well-ventilated place. Protect from frost.

Materials to Avoid Strong oxidizing agents.

# 8. Exposure controls/personal protection

## 8.1 Occupational Exposure Limits (OEL)

Chemical Name	ACGIH TLV	OSHA PEL	British Columbia	Alberta	Quebec	Ontario TWAEV
ISOPROPYL	STEL: 400 ppm	TWA: 400 ppm	TWA: 200 ppm	TWA: 200 ppm	TWA: 400 ppm	TWA: 200 ppm
ALCOHOL	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	STEL: 400 ppm	TWA: 492 mg/m <sup>3</sup>	TWA: 985 mg/m <sup>3</sup>	STEL: 400 ppm
67-63-0				STEL: 400 ppm	STEL: 500 ppm	
				STEL: 984 mg/m <sup>3</sup>	STEL: 1230 mg/m <sup>3</sup>	
BENZALDEHYDE 100-52-7	-	-				STEL: 4 ppm STEL: 17 mg/m <sup>3</sup>
AMYL ACETATE 628-63-7	STEL: 100 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 525 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm	TWA: 50 ppm TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 50 ppm TWA: 266 mg/m <sup>3</sup> STEL: 100 ppm STEL: 532 mg/m <sup>3</sup>	TWA: 50 ppm STEL: 100 ppm

# 8.2 Appropriate engineering controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

## 8.3 Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Long sleeved clothing.

**Respiratory protection** In case of insufficient ventilation wear suitable respiratory equipment.

**Hygiene measures** See section 7 for more information

# 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state
Appearance
Color
Odor
Liquid
light yellow
Cherry

Odor Threshold No information available

Property Values Remarks • Methods

**pH** 5.2

Melting/freezing point No information available

Boiling point/boiling range 95 °C / 203 °F Flash Point 95 °C / 135 °F

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

Vapor pressure 0.66

Vapor density

Specific Gravity 1.0

Water solubility Soluble in water

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition temperatureNo information availableDecomposition temperatureNo information availableViscosity, kinematicNo information availableViscosity, dynamicNo information available

Explosive properties

No information available
Oxidizing Properties

No information available

#### 9.2 Other information

Volatile organic compounds (VOC) 29.2 g/L

content

# 10. Stability and Reactivity

No information available

### 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under normal conditions

### 10.3 Possibility of hazardous reactions

None under normal processing.

#### 10.4 Conditions to Avoid

Direct sources of heat.

# 10.5 Incompatible Materials

Strong oxidizing agents.

# 10.6 Hazardous Decomposition Products

Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

26-May-2015 - LG-F1150 - 2 - AGHS - English -

# 11. Toxicological information

# 11.1 Acute toxicity

Numerical measures of toxicity: Product Information

The following values are calculated based on chapter 3.1 of the GHS document

Unknown Acute Toxicity < 1% of the mixture consists of ingredient(s) of unknown toxicity

**Oral LD50** 25,069.00 mg/kg

Numerical measures of toxicity: Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
ISOPROPYL ALCOHOL 67-63-0	1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ ( Rat ) 4 h
BENZALDEHYDE 100-52-7	1292 mg/kg (Rat)	> 1250 mg/kg (Rabbit)	-

## 11.2 Information on toxicological effects

#### Skin corrosion/irritation

Product Information

· No information available

Component Information

• No information available

## Eye damage/irritation

Product Information

· No information available

Component Information

· No information available

# Respiratory or skin sensitization

Product Information

• No information available

Component Information

· No information available

# **Germ Cell Mutagenicity**

Product Information

· No information available

Component Information

• No information available

## Carcinogenicity

• The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
ISOPROPYL ALCOHOL	-	Group 1	-	
67-63-0		Group 3		

## Reproductive toxicity

Product Information

· No information available

Component Information

No information available

## STOT - single exposure

No information available

# STOT - repeated exposure

No information available

## Other adverse effects

**Target Organs** 

- Eyes
- Respiratory system
- Skin

**Product Information** 

• No information available

Component Information

No information available

## **Aspiration hazard**

Product Information

- No information available
- **Component Information**
- · No information available

# 12. Ecological information

## 12.1 Toxicity

**Ecotoxicity** 

No information available

7.0924 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

**Ecotoxicity effects** 

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
ISOPROPYL ALCOHOL 67-63-0	EC50: 96 h Desmodesmus subspicatus 1000 mg/L EC50: 72 h Desmodesmus subspicatus 1000 mg/L	LC50: 96 h Pimephales promelas 9640 mg/L flow-through LC50: 96 h Pimephales promelas 11130 mg/L static LC50: 96 h Lepomis macrochirus 1400000 µg/L	EC50: 48 h Daphnia magna 13299 mg/L
BENZALDEHYDE 100-52-7	-	LC50: 96 h Oncorhynchus mykiss 10.6 - 11.8 mg/L flow-through LC50: 96 h Oncorhynchus mykiss 12.69 mg/L static LC50: 96 h Lepomis macrochirus 0.8 - 1.44 mg/L flow-through LC50: 96 h Pimephales promelas 6.8 - 8.53 mg/L flow-through LC50: 96 h Lepomis macrochirus 7.5 mg/L static	-
AMYL ACETATE 628-63-7	-	LC50: 96 h Lepomis macrochirus 650 mg/L static	-

## 12.2 Persistence and degradability

No information available.

## 12.3 Bioaccumulative potential

Discharge into the environment must be avoided

Chemical Name	log Pow
ISOPROPYL ALCOHOL 67-63-0	0.05
BENZALDEHYDE 100-52-7	1.48

#### 12.4 Mobility in soil

No information available.

## 12.5 Other adverse effects

No adverse effects are expected.

# 13. Disposal Considerations

## 13.1 Waste Disposal Guidance

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

## 14. Transport Information

**DOT** Not regulated. (If shipped in NON BULK packaging by ground transport)

MEX

**IMDG** 

IATA

# 15. Regulatory information

#### 15.1 International Inventories

TSCA Complies DSL Complies

EINECS/ELINCS - ENCS -

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

NZIoC -

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

# 15.2 U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	SARA 313 - Threshold Values %
ISOPROPYL ALCOHOL	1.0

67-63-0	

#### 15.3 Pesticide Information

Not applicable

## 15.4 U.S. State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
1,4-DIOXANE - 123-91-1	Carcinogen

## 16. Other information

NFPA Health Hazard 1 Flammability 2 Instability 0 Physical and chemical

hazards -

HMIS Health Hazard 1 Flammability 2 Physical Hazard 0 Personal protection X

Legend:

ACGIH (American Conference of Governmental Industrial Hygienists)

Ceiling (C)

DOT (Department of Transportation)

EPA (Environmental Protection Agency)

IARC (International Agency for Research on Cancer)

International Air Transport Association (IATA)

International Maritime Dangerous Goods (IMDG)

NIOSH (National Institute for Occupational Safety and Health)

NTP (National Toxicology Program)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

PEL (Permissible Exposure Limit)

Reportable Quantity (RQ)

Skin designation (S\*)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

TWA (time-weighted average)

Revision Date 26-May-2015

**Revision Note** 

No information available

# **Disclaimer**

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**