

SAFETY DATA SHEET

Issue Date 23-Mar-2015 Revision Date 24-Mar-2015 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Microban Clean Carpet Sanitizer

Product Code LBDCCSXFLB-CCS

Customer Code 221582000

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use Professional Disinfectant Use advised against Use only as stated on label.

Details of the supplier of the safety data sheet

Bennett Direct Pty Ltd ABN: 93 413 737 810

Address: 23-27 Sheperd St, MARRICKVILLE NSW 2204

Tel: 1300 310 410 FAX: +61 2 9572 6565

Emergency telephone number:

POISONS INFORMATION CENTRE AUSTRALIA TEL: 131 126

NEW ZEALAND TEL: 0800 764 766

2. HAZARDS IDENTIFICATION

Classification

A suita tavilaitu. Oral	Catagory F
Acute toxicity - Oral	Category 5
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2
Flammable liquids	Category 3

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Harmful if inhaled Causes mild skin irritation Causes serious eye irritation May cause an allergic skin reaction Toxic to aquatic life with long lasting effects

Flammable liquid and vapor



Precautionary Statements - Prevention

- Avoid breathing dust/fume/gas/mist/vapors/spray
- Use only outdoors or in a well-ventilated area
- Contaminated work clothing should not be allowed out of the workplace
- Avoid release to the environment
- Keep away from heat/sparks/open flames/hot surfaces. No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

- Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.

In case of fire: Use CO2, dry chemical, or foam for extinction.

Collect spillage.

Precautionary Statements - Storage

- Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

- Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Sodium Dodecylbenzene Sulfonate	25155-30-0	5-10	*
Tetrapotassium Pyrophosphate	7320-34-5	3-7	*
2-Hydroxybiphenyl	90-43-7	1-5	*

2-Propanol	67-63-0	1-5	*
Hexylene Glycol	107-41-5	1-5	*
1-methoxy-2-propanol	107-98-2	1-5	*
Trade Secret	Proprietary	1-5	*
Orange Terpenes	5989-27-5	1-5	*

4. FIRST AID MEASURES

First aid measures

General advice If symptoms persist, call a physician.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician. Wash off immediately with soap and plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes If

symptoms persist, call a physician Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Keep eye

wide open while rinsing

Inhalation Remove to fresh air. If symptoms persist, call a physician. Immediate medical attention is

not required. Move to fresh air in case of accidental inhalation of vapors or decomposition

products.

Ingestion Do NOT induce vomiting. Drink plenty of water. Immediate medical attention is not required.

Rinse mouth. Clean mouth with water and drink afterwards plenty of water. Never give

anything by mouth to an unconscious person. Call a physician.

Self-protection of the first aider Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization of susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Use. Dry chemical. Carbon dioxide (CO2). Water spray (fog). Alcohol resistant foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

In the event of fire and/or explosion do not breathe fumes. May cause sensitization by inhalation and skin contact. Thermal decomposition can lead to release of irritating and toxic gases and vapors. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions

Use personal protective equipment as required. Avoid contact with eyes and skin. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges.

Environmental precautions

Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Methods for cleaning up Prevent further leakage or spillage if safe to do so.

Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Prevent product from entering drains. Dam up. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep out of the reach of children. Keep container tightly closed. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.

Incompatible materials

None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_
Hexylene Glycol	Ceiling: 25 ppm	(vacated) Ceiling: 25 ppm	Ceiling: 25 ppm
107-41-5		(vacated) Ceiling: 125 mg/m ³	Ceiling: 125 mg/m ³
1-methoxy-2-propanol	STEL: 100 ppm	(vacated) TWA: 100 ppm	TWA: 100 ppm
107-98-2	TWA: 50 ppm	(vacated) TWA: 360 mg/m ³	TWA: 360 mg/m ³
		(vacated) STEL: 150 ppm	STEL: 150 ppm
		(vacated) STEL: 540 mg/m ³	STEL: 540 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Skin and body protection No special technical protective measures are necessary.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular **General Hygiene**

cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear Colorless Color Odor Pleasant

Odor threshold No Information available

Remarks • Method **Property** Values

No Information available

Same as water

10.5 - 11.5 pН **Specific Gravity** 1.1

Water Thin **Viscosity**

Melting point/freezing point No Information available

Flash point 53 °C 127 °F

Boiling point / boiling range

Evaporation rate Flammability (solid, gas)

Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available

Water solubility Soluble in water

Partition coefficient No Information available **Autoignition temperature** No Information available **Decomposition temperature** No Information available

Other Information

9.2 Density Lbs/Gal **VOC Content (%)** 10.63

10. STABILITY AND REACTIVITY

Reactivity

No data available

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing. Conditions to avoid Heat, flames and sparks.

Incompatible materials None known based on information supplied. Hazardous Decomposition Products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

InhalationNo data available.Eye contactSeverely irritating to eyes.Skin ContactMay cause irritation.IngestionMay be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium Xylene Sulfonate 1300-72-7	= 1000 mg/kg (Rat)	-	-
Sodium Dodecylbenzene Sulfonate 25155-30-0	= 438 mg/kg (Rat)= 500 mg/kg (Rat)	-	-
Tetrapotassium Pyrophosphate 7320-34-5	= 2980 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-
Ortho-Benzyl Para-Chlorophenol 120-32-1	= 1700 mg/kg (Rat)	-	-
2-Hydroxybiphenyl 90-43-7	= 1049 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 0.949 mg/L (Rat) 1 h
2-Propanol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m ³ (Rat) 4 h
Hexylene Glycol 107-41-5	= 3692 mg/kg (Rat)	= 8560 μL/kg (Rabbit)	> 310 mg/m³ (Rat) 1 h
1-methoxy-2-propanol 107-98-2	= 7200 mg/kg (Rat)	= 13000 mg/kg (Rabbit)	= 7500 mg/L (Rat) 6 h
FRAGRANCE P292	= 4462 mg/kg (Rat)	= 4308 mg/kg (Rabbit)	= 300.56 mg/L (Rat) 4 h
Phenol, 4-(1,1-Dimethylpropyl)- 80-46-6	= 1830 mg/kg (Rat)	= 2 g/kg (Rabbit)	-
Benzenesulfonic Acid, Decyl(sulfophenoxy)-,Disodium Salt 36445-71-3	> 2500 mg/kg (Rat)	-	= 5 mg/m ³ (Rat) 4 h
Orange Terpenes 5989-27-5	= 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Sodium Sulfite 7757-83-7	= 3560 mg/kg (Rat)	-	= 5500 mg/m³ (Rat) 4 h
Tetrasodium EDTA 64-02-8	= 10 g/kg (Rat) = 1658 mg/kg (Rat)	-	-
Sodium Hydroxyacetate 2836-32-0	= 7110 mg/kg (Rat)	-	-
Trisodium nitrilotriacetate 5064-31-3	= 920 mg/kg (Rat)	-	> 5 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation MAY CAUSE SKIN IRRITATION.

Sensitization Germ cell mutagenicityNo Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Hydroxybiphenyl 90-43-7	-	Group 3	-	-
2-Propanol 67-63-0	-	Group 3	-	Х

Microban Clean Carpet Sanitizer

Revision Date 24-Mar-2015

Orange Terpenes	-	Group 3	-	X
5989-27-5				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated

exposure.

Target organ effects Central nervous system, EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Dodecylbenzene Sulfonate 25155-30-0	-	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	-
Tetrapotassium Pyrophosphate 7320-34-5	-	100: 96 h Oncorhynchus mykiss mg/L LC50	100: 48 h water flea mg/L EC50
2-Hydroxybiphenyl 90-43-7	0.85: 72 h Desmodesmus subspicatus mg/L EC50	3.4: 96 h Pimephales promelas mg/L LC50 flow-through 2.74: 96 h Lepomis macrochirus mg/L LC50 2.75: 96 h Oncorhynchus mykiss mg/L LC50 5.8: 96 h Poecilia reticulata mg/L LC50 static	1 - 2.5: 48 h Daphnia magna mg/L EC50 Static
2-Propanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50
Hexylene Glycol 107-41-5	-	10500 - 11000: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static 8690: 96 h Pimephales promelas mg/L LC50 flow-through 10700: 96 h Pimephales promelas mg/L LC50 static	2700 - 3700: 48 h Daphnia magna mg/L EC50
1-methoxy-2-propanol 107-98-2	-	20.8: 96 h Pimephales promelas g/L LC50 static 4600 - 10000: 96 h Leuciscus idus mg/L LC50 static	23300: 48 h Daphnia magna mg/L EC50
Orange Terpenes 5989-27-5	-	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	-

<u>Persistence and degradability</u> No Information available.

Bioaccumulation No Information available.

Chemical Name	Partition coefficient

2-Hydroxybiphenyl 90-43-7	3.18
2-Propanol 67-63-0	0.05
Hexylene Glycol 107-41-5	0.14
1-methoxy-2-propanol 107-98-2	-0.437

Other adverse effects

This product is toxic to fish.

Do not discharge effuent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirments of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effuent containing this product to sewer systems withour previously notifying the local sewage treatment plant authority. For guidance, conatct your State water board or Regional office of the EPA.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes can not be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

70385-7 (containers equal to or less than 5 gallons)

Container Disposal: Non-refillable container. Do Not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in sanitary landfill, or by incineration, or, if allowed by state and local authorites, by burning. If burned, stay out of smoke.

70385-7 For non-refillable containers that only list household/residential uses:
Container Disposal: Non-refillable container. Do not re-use or refill this container. Wrap (container) and put in trash or offer for recycling, if avialable.
Do not reuse container.

Contaminated packaging US EPA Waste Number

D001

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-Propanol	Toxic
67-63-0	Ignitable
Orange Terpenes 5989-27-5	Toxic

14. TRANSPORT INFORMATION

Note: The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

U.S. Department of Transportation (USDOT)

4x1 Gallon Case Not regulated

Pails & Drums (<119 Gallons) Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %	
2-Hydroxybiphenyl - 90-43-7	1.0	
2-Propanol - 67-63-0	1.0	

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardYesReactive HazardNoSudden release of pressure hazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Dodecylbenzene Sulfonate	1000 lb	-	RQ 1000 lb final RQ
25155-30-0			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm.

Chemical Name	California Proposition 65	
2-Hydroxybiphenyl - 90-43-7	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Dodecylbenzene Sulfonate 25155-30-0	Х	X	X
2-Hydroxybiphenyl 90-43-7	Х	X	X
2-Propanol 67-63-0	Х	X	X
Hexylene Glycol 107-41-5	Х	X	X
1-methoxy-2-propanol 107-98-2	Х	X	X
Sodium Sulfate 7757-82-6	-	X	X
Trisodium nitrilotriacetate 5064-31-3	-	X	-

U.S. EPA Label Information

EPA Pesticide Registration Number 70385-7 **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

EPA Pesticide Label

DANGER Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes or on clothing. Wear protective clothing, gloves and eyewear (goggles, face shield, or safety glasses). Harmful if swallowed. Wash throughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Additional information

No Information available.

16. OTHER INFORMATION

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
2	2	0	В

Prepared By Regulatory Department

 Issue Date
 23-Mar-2015

 Revision Date
 24-Mar-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet